


central	Offer	central office / 14 hundres 1000
office/	1 1 "	criber de to trace F16, 3B
Comple	Nu.	te complex manony/i 1000 complex ache 1000 complex on 1000 com
	- Signali	- signaling ports - in band path
	path	nétroork interface
•	J.00c	memory & TTS acoustic 200b
	Jove -	VIV TTS engines 2000 translation plat for my lengines speech processing unit
	Jook	VIV reference databales (200
	Joy	
	111 = 12	foldthorm, sycs, chatabase 1 300 h
		ct to Speech

*******	/ Q./a			
	System State	Databage		*****
	- 1210	· · · · · · · · · · · · · · · · · · ·		
		Al	Fig.4	
···································				
Ω	100	Br. Ora		·
B.1M.			B_{μ}	M
1		***************************************		
1N ()	Q.Q	***************************************		******
	Car-Cit	·•-··	*	
	CAL CIVI			

			•	

			ž.	
*****		·	. •	-
··· •		··· ·········· ·		
			·	
		*		



F16, 5A


13
. 3
4.4
===
21 223
, A
Ü
51
15
ĮĀ
ļ.A
Ü
ļå

-tra		speaker_	missip.	display	size celer	- kuypad	<u> بر پر</u>
Profiles earbud in hundset in handset in	Form1 Form10 Form10	· · · · · · · · · · · · · · · · · · ·	V V V	; / : /	1646 : 1642 40 x 60	Type I Type N Type I	
appliance N appliance N computer (v		•		Type1	
computern		1	,		; ;	•	

FIG. 58

F16,50 earbud message-speech (synthesized or recorded) "Menu- Hold, conference, as play message, or voice mail." text, display, video, etc. handset message Menu - hold - conference - play mag - voice mail - other 500 survice/seature piatform/ 100 18 server Speech processing unit

Fig 6 A



F16, 6A






Fig. 6B


5








14



F16.8A








Caller-Record Database


× 666

Cuiter-ID/ Station-LD	Cust 1D	Voice Template	Passward/ Key	Pref.	Euternation
732555-1111	0231	file 0231	tur tie_		accrss
732 555 2222	0232	file 0232	mar tian	English	Ragional.
732 555 3333	0233	file 0233	оганде	English	acres

F16.8C

.






80,	2 Network Service Mits F14961 m	©821 Han	20 840 d Sept Head Sud
FIG. 11A	msy to mtso for 900 request mag. 900 request mag. 900	handset a head set ack with profiles 908 constake payload to text nessuai a pron to handset	
> {	/12	displess abrectioned to text (config. to profile of Kandist)	"Call Grem 752-
F16.11B	Mag to MTSO for Subscriber - Signal 1970 Mguest mag 1930 May payload 932	handest a head set ack. with profiles transmit payload 934	real sit 936
TV 16	meg to MTSO for subscriber signal	Signal to subscriber 942 Subscriber responds w. profile/TTS engine	TTS to play out of 38
FIG. IIC	msg payload 948	translate projected to levit mag. Howard history corruptessed tirit 25	handert were TTS to play decomproceed nesserge 953
FIG. 11I	msg to MTSP for 960 subsciriber signal 960 msg. 966 msg. 966	signal to subscribing	

... (%)

STATE OF STA







F16. 12

					•	
13						
		•			.1. 4.4	
	Network/W Service Plat	ternet Subsci form PC/Sei	riber Telephone ttop box/Accesspain	r Handset Coptional	Headset	840
	· · · · · · · · · · · · · · · · · · ·	802	1821	82	a	070
or	Loque in bytess-connection					
7.	dy exists are signal msg.	signal msg. 120				
Form	+ ADSI (example)	onfile/Ack/no ADSI	210 Phone		u de la companya de l	1060 Features
dat	form/send	play text to	subs. Relay to h		7 ()	wailable we Hold,
	the to defform the kost to Text			12YU ASE	/word-spot/	onserence send to 11
(H.M.	it reply)		ASR/word check gr	spot/ chec	ech "Conference"	n microphone
Tra	uslate text to	transmit text	check gr Relay te	Lest Crow for	translated to Te transferred	xt a] '
Y.D	SI command at ADSI comman	lookup table app	Speech a	kand.	}	
12016	e netroome service	1290	.00	a	1270	
Pace	Horm. 1300		128		,	
				ψ.		
		1516	13	2	•	·
10:		+(6.				
• . !						
:						
		,		•	*	
. !		1	1	l		1 ,

CHARLES OF RESIDENCE OF THE SEASON Ħ **#**3 <u>|</u>:4

1.4